

BATHROOM  
Solar Floor-Mounted Tub Filler  
**G-3754-LM31N**

---


**GRAFF®**



### **Information**

- Floor-mount installation
- Aerated Flow Rate ~9 gpm @45 psi
- Handshower flow rate  $\leq 1.5$  max gpm
- 9-3/4" spout reach
- 29" to 32-3/16" ~ height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

**G-3754-LM31N**  
Solar Collection  
Floor-Mounted Tub Filler



**Product Features**

- Floor-Mounted Tub Filler
- Aerated flow rate ~9 gpm @45 psi
- Handshower flow rate  $\leq 1.5$  max gpm
- 9-3/4" spout reach
- 29" to 32-3/16" ~ height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

**Available Finishes**


- Polished Chrome  
G-3754-LM31N-PC
- Steelnox  
G-3754-LM31N-SN
- Architectural Black with Chrome Accents  
G-3754-LM31N-PC/BK

\* Special order finish- call for availability

**Warranty**

- Limited lifetime warranty

For complete warranty information go to [www.graff-designs.com/en-nam/warranty](http://www.graff-designs.com/en-nam/warranty)



BATHROOM  
Spout Connection Rough  
**G-1045**

**GRAFF®**



**Finishes**



24K Gold



24K Brushed  
Gold



Architectural  
Black™



Matte Black




Polished  
Chrome



Polished  
Nickel



Steelnox®  
(Satin Nickel)



Architectural  
White

**G-1045**  
Spout Connection Rough




**Product Features**

- Mud guard displays minimum and maximum floor depth
- Rough can be installed in any orientation making it convenient to route pipes to the rough
- Trim can be rotated 360 degrees in any directions
- Averages 10 GPM with most trim

**Warranty**


- Limited lifetime warranty

For complete warranty information go to <http://www.graff-faucets.com/en/info/faqs>



BATHROOM  
Solar Floor-Mounted Tub Filler  
**G-3754-LM31N**

**GRAFF®**



### Information

- Floor-mount installation
- Aerated Flow Rate ~9 gpm @45 psi
- Handshower flow rate  $\leq 1.5$  max gpm
- 9-3/4" spout reach
- 29" to 32-3/16" ~ height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

### Finishes



24K Gold



24K Brushed  
Gold



Architectural  
Black™



Matte Black



Polished  
Chrome




Polished  
Nickel



Steelnox®  
(Satin Nickel)



Architectural  
White



### Product Features

- Floor-Mounted Tub Filler
- Aerated flow rate ~9 gpm @45 psi
- Handshower flow rate ≤1.5 max gpm
- 9-3/4" spout reach
- 29" to 32-3/16" ~ height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

### Available Finishes

- Polished Chrome  
G-3754-LM31N-PC
- Steelnox  
G-3754-LM31N-SN
- Architectural Black with Chrome Accents  
G-3754-LM31N-PC/BK

\* Special order finish- call for availability

### Warranty

- Limited lifetime warranty

For complete warranty information go to [www.graff-designs.com/en-nam/warranty](http://www.graff-designs.com/en-nam/warranty)

